



St. Gerard's Catholic Primary  
and Nursery School

# St Gerard's Catholic Primary and Nursery School



## Calculation Policy 2023-24



St. Gerard's Catholic Primary  
and Nursery School

## **Introduction:**

**This policy is written to serve the requirements of the 2014 National Curriculum. It provides guidance on the appropriate calculation methods and progression. The content is divided into the four main operations: addition, subtraction, multiplication and division. Pupils should still make connections between different mathematical strands so that they develop fluency and reasoning and problem solving skills.**

**This Policy is supported a progression document which details the route of progression through the year groups. Children should be given the opportunity to explore the concrete, pictorial and abstract in order to broaden and add depth to their understanding.**



St. Gerard's Catholic Primary  
and Nursery School

## AIMS OF THE POLICY:

To ensure consistency and progression in our approach to calculation

To ensure that children develop an efficient, reliable, formal written method of calculation for all operations

To ensure that children can use these methods accurately with confidence and understanding



## **Addition:**

### **Written methods for addition**





It is important that children's mental methods of calculation are practised on a regular basis and secured alongside their learning and use of written methods of addition. The aim is that children use mental methods when appropriate, but for calculations that they cannot do in their heads they use a written method accurately and with confidence. Children are taught and acquire secure mental methods of calculation and one written method of calculation for addition which they know they can rely on when mental methods are not appropriate. This policy shows the possible stages of each written method for addition, each stage building towards a more refined method.

**There are some key basic skills that children need to help with addition, which include:**

- counting
- estimating
- recalling all addition pairs to 10, 20 and 100 ( $7 + 3 = 10$ ,  $17 + 3 = 20$ ,  $70 + 30 = 100$ )
- knowing number facts to 10 ( $6 + 2 = 8$ )
- adding mentally a series of one-digit numbers ( $5 + 8 + 4$ )
- adding multiples of 10 ( $60 + 70$ ) or of 100 ( $600 + 700$ ) using the related addition fact,  $6 + 7$ , and their knowledge of place value
- partitioning two-digit and three-digit numbers into multiples of 100, 10 and 1 in different ways ( $432$  into  $400 + 30 + 2$  and also into  $300 + 120 + 12$ )
- understanding and using addition and subtraction as inverse operations





***Using and applying is a key theme and one of the aims of National Curriculum and before children move onto the next stage in written calculation it is important that their skills are broadened through their use and application in a range of contexts, these include:***

- using inverse
- missing box questions
- using units of measure including money and time
- word problems
- open ended investigations









Objective, Strategy & Key Vocabulary	Concrete	Pictorial	Abstract
Comparing Objects, groups of objects  <b>Length, weight, mass, heavier, lighter, same, equal</b>	People's height, distance, mass.  Use of pan balances using numicon to show equivalence, < >  Comparing multiple objects  Use of concrete materials eg. Compare bears, jewels, cubes etc to create groups of different sizes to compare		
Using < > and =  <b>Fewer, more, less than, more than, equal to, fewer than</b>	Use a multilink staircase in two colours		Use variation with missing boxes and missing symbols.  $3 \bigcirc 4$ $4 > \square$  $2 \bigcirc 2$ $\square < 6$
Finding one more, finding one less			One more/less sentences – example one: 1 more than 3 is <input type="text"/> 1 less than 2 is <input type="text"/>  1 more than <input type="text"/> is 1 1 less than <input type="text"/> is 1

# Y1

# ADDITION +

Objective, Strategy & Key Vocabulary	Concrete	Pictorial	Abstract
Adding 1 gives 1 more	<p>First      Then      Now</p>  <p>3      +1      4</p>	<p>First      Then      Now</p> 	$  \begin{array}{ccc}  6 & +1 & 7 \\  \hline  & 6+1=7 &   \end{array}  $
Augmentation—increasing an amount	<p>Use FIRST, THEN, NOW and range of practical situations for showing augmentation.</p> <p>E.g. first there were three children on the carpet then 2 more came. Now there are 5 children on the carpet.</p>	<p>First      Then      Now</p> 	$  \begin{array}{ccc}  4 & +3 & 7 \\  \hline  & 4+3=7 &   \end{array}  $
Stories of numbers within 10	<p>Children should work with doubled sided counters and ten frame.</p> <p>Start with 7 red, turn one over, tell me the 'story'?</p> <p>Turn one more over. What is the 'story'?</p> <p>Continue.</p> <p>Complete this for stories of all numbers up to 10.</p>	 <p> <math>7+0=7</math>  <math>6+1=7</math>  <math>5+2=7</math>          etc.       </p> <p>Complete for all numbers up to 10</p>	$7+0=7$ $6+1=7$ $5+2=7$ $4+3=7$ $3+4=7$ $2+5=7$ $1+6=7$ $0+7=7$

# Y1 ADDITION +

Objective & Strategy & Key Vocabulary	Concrete	Pictorial	Abstract
Combining two parts to make a whole: part- whole model	 <p>Use part part whole model.</p> <p>Use cubes to add two numbers together as a group or in a bar.</p>	 <p>Use pictures to add two numbers together as a group or in a bar.</p>	<p><math>4 + 3 = 7</math></p>  <p><math>10 = 6 + 4</math></p> <p>Use the part-part whole diagram as shown above to move into the abstract.</p>
Regrouping to make 10. <i>This is an essential skill for column addition later.</i>	 <p><math>= 11</math></p> <p>2 more than 5.</p>	 <p>Start at the larger number on the number line and count on in ones or in one jump to find the answer.</p> <p><math>3 + 9 =</math></p>	<p><math>7 + 4 = 11</math></p> <p>If I am at seven, how many more do I need to make 10. How many more do I add on now?</p>
Represent & use number bonds and related subtraction facts within 20	 <p>Start with the bigger number and use the smaller number to make 10.</p> <p>Use ten frame</p> 	<p>Use pictures or a number line. Regroup or partition the smaller number using the part part whole model to make 10.</p> <p><math>9 + 5 = 14</math></p>  <p>Draw 2 more hats</p> <p><math>5 + 2 =</math></p>	<p>Emphasis should be on the language</p> <p>'1 more than 5 is equal to 6.'</p> <p>'2 more than 5 is 7.'</p> <p>'8 is 3 more than 5.'</p>

# Y1 ADDITION +

Adding 1 and 2
Bonds to 10
Adding 10
Bridging/compensating
Y1 facts
Y2 facts
Y1/2

Doubles
Adding 0
Near doubles

+	0	1	2	3	4	5	6	7	8	9	10
0	0+0	0+1	0+2	0+3	0+4	0+5	0+6	0+7	0+8	0+9	0+10
1	1+0	1+1	1+2	1+3	1+4	1+5	1+6	1+7	1+8	1+9	1+10
2	2+0	2+1	2+2	2+3	2+4	2+5	2+6	2+7	2+8	2+9	2+10
3	3+0	3+1	3+2	3+3	3+4	3+5	3+6	3+7	3+8	3+9	3+10
4	4+0	4+1	4+2	4+3	4+4	4+5	4+6	4+7	4+8	4+9	4+10
5	5+0	5+1	5+2	5+3	5+4	5+5	5+6	5+7	5+8	5+9	5+10
6	6+0	6+1	6+2	6+3	6+4	6+5	6+6	6+7	6+8	6+9	6+10
7	7+0	7+1	7+2	7+3	7+4	7+5	7+6	7+7	7+8	7+9	7+10
8	8+0	8+1	8+2	8+3	8+4	8+5	8+6	8+7	8+8	8+9	8+10
9	9+0	9+1	9+2	9+3	9+4	9+5	9+6	9+7	9+8	9+9	9+10
10	10+0	10+1	10+2	10+3	10+4	10+5	10+6	10+7	10+8	10+9	10+10










**SUBTRACTION -**

**ADDITION +**











# Y2

# ADDITION +

Objective & Strategy & Key Vocabulary	Concrete	Pictorial	Abstract
Adding multiples of ten	$50 = 30 + 20$  Model using dienes and bead strings	 ___ tens and ___ tens makes ___ tens Use representations for base ten.	$20 + 30 = 50$ $70 = 50 + 20$ $40 + \square = 60$ $\square + 30 = 50$
Use known number facts  Part part whole	 Children explore ways of making numbers within 20	 $\square + \square = 20$ $20 - \square = \square$ $\square + \square = 20$ $20 - \square = \square$	$\square + 1 = 16$ $16 - 1 = \square$ $1 + \square = 16$ $16 - \square = 1$
Using known facts	 Ted                      Sam	 Children draw representations of H,T and O	$3 + 4 = 7$ Leads to $30 + 40 = 70$ Leads to $300 + 400 + 700$ <i>'3 things and 4 things is always 7 things'</i>
Bar model	 $3 + 4 = 7$	 $3 + 5 = 8$	 $14 + 16 = 30$









# Y2

# ADDITION +









Objective & Strategy & Key Vocabulary	Concrete	Pictorial	Abstract				
Add a two digit number and ones	 <p><math>17 + 5 = 22</math></p> <p>Use ten frame to make 'magic ten'</p> <p>Children explore the pattern.</p> <p><math>17 + 5 = 22</math></p> <p><math>27 + 5 = 32</math></p>	<p>Use part part whole and number line to model.</p>  	<p><math>17 + 5 = 22</math></p> <table border="1" data-bbox="2033 263 2321 377"> <tr><td colspan="2">22</td></tr> <tr><td>17</td><td>5</td></tr> </table> <p>Explore related facts</p> <p><math>17 + 5 = 22</math>      <math>22 = 17 + 5</math></p> <p><math>5 + 17 = 22</math>      <math>22 = 5 + 17</math></p> <p><math>22 - 17 = 5</math>      <math>17 = 22 - 5</math></p> <p><math>22 - 5 = 17</math>      <math>5 = 22 - 17</math></p>	22		17	5
22							
17	5						
Add a 2 digit number and tens	 <p><math>25 + 10 = 35</math></p> <p>Explore that the ones digit does not change</p>	<p><math>25 + 30 = 55</math></p> 	<p><math>27 + 10 = 37</math></p> <p><math>27 + 20 = 47</math></p> <p><math>27 + \square = 57</math></p> <p><math>\square + 30 = 67</math></p>				
Add two 2-digit numbers without bridging.  'Friendly numbers'	<p>Model using dienes, place value counters and numicon</p> <p>Dienes and part-part-whole model:</p>  <p><math>45 + 23 = 68</math></p> <p><math>60 + 8 = 68</math></p>	 <p>+20    +5</p> <p>Or</p>  <p>+20    +3    +2</p> <p>Use number line and bridge ten using part whole if necessary.</p>	<p><math>25 + 47</math></p> <p><math>20 + 5</math>      <math>40 + 7</math></p> <p><math>20 + 40 = 60</math></p> <p><math>5 + 7 = 12</math></p> <p><math>60 + 12 = 72</math></p>				

# Y2

# ADDITION +





Objective & Strategy & Key Vocabulary	Concrete	Pictorial	Abstract
Add any two 2-digit numbers	<p>Dienes and part-part-whole model:</p>  <p>26 + 37 = 63</p> <p>50 + 13 = 63</p>	<p>26 + 30 + 7</p> 	<p>24 + 38 = <input type="text"/></p> <p>29 + <input type="text"/> = 51</p> <p>38 + 24 = <input type="text"/></p> <p><input type="text"/> + 22 = 51</p>
Add three 1-digit numbers	 <p>Combine to make magic 10 first where relevant, or bridge 10 then add third</p>	<p>Use language of fist, then, then, now</p> <p>Pictorial:</p> <p>First Then Then Now</p>  <p>Use part part whole to show magic ten</p>  <p>10 + 3 = 13</p>	<p><math>4 + 7 + 6 = 10 + 7</math></p> <p><math>= 17</math></p> <p>Combine the two numbers that make/bridge ten then add on the third.</p>
Adding two numbers that bridge 10.	 <p>Use double sided counters and ten frames. Move counters to fill the ten frame and make Magic 10</p>	 <p>Show on a number line how 5 is portioned into adding three, then adding 2.</p>	

# Y3 ADDITION +

Objective & Strategy & Key Vocabulary	Concrete	Pictorial	Abstract
<p>Column Addition—no regrouping (friendly numbers)</p> 	<p>When moving from concrete to pictorial, show concrete alongside pictorial. Show pictorial alongside abstract when moving to abstract.</p> <p>Model using Dienes or Numicon</p>  <p>Add together the ones first, then the tens.</p>   <p>Move to using place value counters</p>	<p>Children move to drawing the counters using a tens and one frame.</p>  <p>3      7      9</p>	<p>248 + 131 ----- 379</p> <p>Add the ones first, then the tens, then the hundreds.</p>
<p>Column Addition with regrouping.</p> <p>Use language of 'take and make' to describe carrying</p>	 <p>Exchange ten ones for a ten. Model using Numicon and pv counters.</p>  <p>Calculations</p> $\begin{array}{r} 146 \\ + 527 \\ \hline \end{array}$	<p>Children can draw a representation of the grid to further support their understanding, carrying the ten underneath the line</p>  <p>6      7      3</p>	<p>Use expanded method ONLY WHEN NEEDED</p> $\begin{array}{r} 20 + 5 \\ 40 + 8 \\ 60 + 13 = 73 \end{array}$ <p>Start by partitioning the numbers before formal column to show the exchange.</p> $\begin{array}{r} 536 \\ + 85 \\ \hline 621 \\ 11 \end{array}$

Y4-6

ADDITION +

Objective & Strategy & Key Vocabulary	Concrete	Pictorial	Abstract
<p>Y4—add numbers with up to 4 digits</p>	<p>Children continue to use dienes or pv counters to add, exchanging ten ones for a ten and ten tens for a hundred and ten hundreds for a thousand.</p> 	 <p>Draw representations using pv grid.</p>	$\begin{array}{r} 2634 \\ + 4517 \\ \hline 7141 \\ \hline 1 \quad 1 \end{array}$ <p>Continue from previous work to carry ones, tens and hundreds.</p> <p>Relate to money and measures.</p>
<p>Y5—add numbers with more than 4 digits.</p> <p>Add decimals with 2 decimal places, including money.</p>	<p>As year 4</p>  <p>Introduce decimal place value counters</p>	<p>2.37 + 81.79</p> 	$\begin{array}{r} 22,634 \\ + 15,673 \\ \hline 38,307 \\ \hline 1 \quad 1 \end{array}$ $\begin{array}{r} \text{£ } 127.67 \\ + \text{£ } 38.45 \\ \hline \text{£ } 166.12 \\ \hline 1 \quad 1 \quad 1 \end{array}$
<p>Y6—add several numbers of increasing complexity</p> <p>Including adding money, measure and decimals with different numbers of decimal points.</p>	<p>Some children may need to use manipulatives and/or representations for longer. See year 5</p>		$\begin{array}{r} 89,472 \\ 63,673 \\ + 3,016 \\ \hline 156,161 \\ \hline 1 \quad 1 \quad 1 \quad 1 \end{array}$ <p>Insert zeros for place holders.</p> $\begin{array}{r} 1.437 \\ 0.600 \\ + 3.020 \\ \hline 4.057 \\ \hline 1 \end{array}$

# Subtraction:



St. Gerard's Catholic Primary  
and Nursery School











## **Written methods for Subtraction**

It is important that children's mental methods of calculation are practised on a regular basis and secured alongside their learning and use of written methods of subtraction. The aim is that children use mental methods when appropriate, but for calculations that they cannot do in their heads they use a written method accurately and with confidence. Children are taught and acquire secure mental methods of calculation and one written method of calculation for subtraction which they know they can rely on when mental methods are not appropriate. This policy shows the possible stages of each written method for subtraction, each stage building towards a more refined method.








## **There are some key basic skills that children need to help with subtraction, which include:**

- counting
- estimating
- recalling all addition pairs to 10, 20 and 100 along with their inverses ( $7 + 3 = 10$ ,  $10 - 3 = 7$ ,  $17 + 3 = 20$ ,  $20 - 3 = 17$ ,  $70 + 30 = 100$ ,  $100 - 30 = 70$ )
- knowing number facts to 10 and their inverses ( $6 + 2 = 8$ ,  $8 - 2 = 6$ )
- subtracting multiples of 10 ( $160 - 70$ ) using the related subtraction fact,  $16 - 7$ , and their knowledge of place value
- partitioning two-digit and three-digit numbers into multiples of 100, 10 and 1 in different ways (432 into  $400 + 30 + 2$  and also into  $300 + 120 + 12$ )
- understanding and using subtraction and addition as inverse operations Using and applying is a key theme and one of the aims of National Curriculum and before children move onto the next stage in written calculation it is important that their skills are broadened through their use and application in a range of contexts, these include:
  - using inverse
  - missing box questions
  - using units of measure including money and time
  - word problems
  - open ended investigations

# Y1 SUBTRACTION









Objective & Strategy	Concrete	Pictorial	Abstract
<p>Represent and use number bonds and related subtraction facts within 20</p> <p>Part-Part-Whole model</p>	 <p>Link to addition. Use PPW model to model the inverse.</p> <p>If 10 is the whole and 6 is one of the parts, what is the other part?</p> $10 - 6 = 4$	 <p>Use pictorial representations to show the part.</p>	<p>Move to using numbers within the part whole model.</p>  $12 - 5 = 7$ $12 - 7 = 5$ $7 = 12 - 5$ $5 = 12 - 7$
<p>Subtract by making ten</p>	<p><b>15 - 9</b></p>  <p>Make 15 on the ten frame. Take 5 away to make ten, then take 4 more away so that you have taken 9.</p> $15 - 5 = 10$ $10 - 4 = 6$ $15 - 9 = 6$	<p><b>15 - 9</b></p>  <p>Jump back 5 first, then another 4. Use ten as the stopping point.</p>	<p><b>16 - 9</b></p> <p>How many do we take off first to get to 10? How many left to take off?</p>  
<p>Compare numbers by finding the difference.</p>	 <p>There are 2 more red cars than blue cars.</p> <p>There are 2 more pencils than erasers.</p>	 $5 - 3 = 2$ <p>Use a number line to count on..</p> 	<p>Hannah has 12 sweets and her sister has 5. How many more does Hannah have than her sister?</p>

# Y2 SUBTRACTION -








Objective & Strategy	Concrete	Pictorial	Abstract
<p>Subtracting by making 10</p>	<p>Make 15 on the ten frame. Take 5 away to make ten, then take 4 more away so that you have taken 9.</p>  <p><math>15 - 9 =</math></p> <p><math>15 - 9 = 6</math></p> <p><math>15 - 5 = 10</math></p> <p><math>10 - 4 = 6</math></p> <p><math>15 - 9 = 6</math></p>	<p><math>15 - 9 =</math></p>  <p>Jump back 5 first, then another 4. Use ten as the stopping point.</p>	<p><math>16 - 9 =</math></p> <p>How many do we take off first to get to 10? How many left to take off?</p> 
<p>Counting on to next ten</p> <p><i>Progression should be crossing one ten, crossing more than one ten, crossing the hundreds.</i></p>	<p><math>34 - 28 =</math></p>  <p><math>34 - 28</math></p> <p>Use a bead bar or bead strings to model counting to next ten and the rest.</p> <p>28 to 30 is 2, 30 to 34 is 4. So, <math>34 - 28 = 6</math></p>	 <p>Use a number line to count on to next ten and then the rest.</p> <p>Begin with bead line, move to landmarked line then to ENL.</p>	<p><math>93 - 76 = 17</math></p> <p><math>76 \rightarrow 80 = 4</math></p> <p><math>80 \rightarrow 93 = 13</math></p> <p><math>13 + 4 = 17</math></p>
<p>Subtractions as difference</p>	 <p>Ben is ten years old      Charlotte is three years old</p> <p>10 years old</p> <p>3 years old</p> <p>difference of 7 years</p>		<p>The difference between 24 and 16 is 8.</p>



# Y2 SUBTRACTION -

Objective & Strategy	Concrete	Pictorial	Abstract
Subtracting a multiple of 10	 <p><math>32 - 10 = 22</math></p> <p>Children use dienes, PV counters or Numicon.</p> <p>They remove the correct number of tens</p>	 <p>Children draw rods and cubes and cross off multiples of ten.</p>	$64 - 10 = \square$ $64 - 20 = \square$ $64 - 30 = \square$ $64 - \square = 24$ $\square - 50 = 14$
Subtract a single digit from a two digit number  No regrouping	 <p>Explore that <math>9 - 3 = 6</math> so <math>29 - 3 = 26</math> etc</p>	 <p><math>9 - 3 = 6</math></p> <p><math>19 - 3 = 16</math></p>	$9 - 3 = 6$ $19 - 6 = 13$ $29 - 6 = 23$ etc
Regroup a ten into ten ones	 <p>Use a PV chart to show how to change a ten into ten ones, use the term 'take and make'.</p>	 <p><math>20 - 4 = 16</math></p>	$20 - 4 = 16$
Partitioning to subtract without regrouping.  'Friendly numbers'	<p><math>34 - 13 = 21</math></p>  <p>Use Dienes to show how to partition the number when subtracting without regrouping.</p>	<p><math>43 - 21 = 22</math></p> <p>Children draw representations of Dienes and cross off.</p> 	$43 - 21 = 22$

# Y3 SUBTRACTION -

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Column subtraction without regrouping (friendly numbers)</p>	 <p>47 - 32</p> <p>Use base 10 or Numicon to model</p>	 <p>Calculations</p> $\begin{array}{r} 54 \\ - 22 \\ \hline 32 \end{array}$ <p>Draw representations to support understanding</p>	$47 - 24 = 23$ $\begin{array}{r} 40 + 7 \\ - 20 + 4 \\ \hline 20 + 3 \end{array}$ <p>Intermediate step may be needed to lead to clear subtraction understanding.</p> 
<p>Column subtraction with regrouping</p>	 <p>Begin with base 10 or Numicon. Move to pv counters, modelling the exchange of a ten into ten ones. Use the phrase 'take and make' for exchange.</p>	 <p>Children may draw base ten or PV counters and cross off.</p>	 <p>Begin by partitioning into pv columns</p> $836 - 254 = 582$  <p>Then move to formal method.</p>

Y4-6

SUBTRACTION -

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Subtracting tens and ones</p> <p>Year 4 subtract with up to 4 digits.</p> <p><i>Introduce decimal subtraction through context of money</i></p>	<p>234 - 179</p> <p>Model process of exchange using Numicon, base ten and then move to PV counters.</p>	<p>Children to draw pv counters and show their exchange—see Y3</p>	<p>Use the phrase 'take and make' for exchange</p>
<p>Year 5- Subtract with at least 4 digits, including money and measures.</p> <p><i>Subtract with decimal values, including mixtures of integers and decimals and aligning the decimal point.</i></p>	<p>As Year 4</p>	<p>Children to draw pv counters and show their exchange—see Y3</p>	<p>Use zeros for place-holders.</p>
<p>Year 6—Subtract with increasingly large and more complex numbers and decimal values.</p>			



# Multiplication

## **Written methods for Multiplication**









It is important that children's mental methods of calculation are practised on a regular basis and secured alongside their learning and use of written methods of multiplication. The aim is that children use mental methods when appropriate, but for calculations that they cannot do in their heads they use a written method accurately and with confidence. Children are taught and acquire secure mental methods of calculation and one written method of calculation for multiplication which they know they can rely on when mental methods are not appropriate. This policy shows the possible stages of each written method for multiplication, each stage building towards a more refined method.






There are some key basic skills that children need to help with multiplication, which include:








- counting
- estimating
- understanding multiplication as repeated addition
- recalling all multiplication facts to  $12 \times 12$
- partitioning numbers into multiples of one hundred, ten and one
- working out products ( $70 \times 5$ ,  $70 \times 50$ ,  $700 \times 5$ ,  $700 \times 50$ ) using the related fact  $7 \times 5$  and their knowledge of place value
- adding two or more single-digit numbers mentally
- adding multiples of 10 ( $60 + 70$ ) or of 100 ( $600 + 700$ ) using the related addition fact,  $6 + 7$ , and their knowledge of place value
- adding combinations of whole numbers
- understanding and using division and multiplication as inverse operations









**Using and applying is a key theme and one of the aims of National Curriculum and before children move onto the next stage in written calculation it is important that their skills are broadened through their use and application in a range of contexts, these include:**

- using inverse
- missing box questions
- using units of measure including money and time
- word problems
- open ended investigations

Objective & Strategy	Concrete	Pictorial
<p>Double numbers to 10</p>	<p>Use practical activities using manipulatives including cubes and Numicon to demonstrate doubling</p>  <p>double 4 is 8 <math>4 \times 2 = 8</math></p>	<p>Draw pictures and bar models to show how to double numbers</p> <p>Double 4 is 8</p> 
<p>Counting in groups of 2</p>	<p>Count in 2s using real life objects and contexts.</p> 	<p>Children make representations to show counting in multiples of 2. Count in multiples of a number aloud.</p>  <p>• Show jumps of 2 on a number line</p>
<p>Counting in groups of 10</p>	<p>Use real life objects and contexts to count in groups of 10</p> 	<p>Use and draw representations for counting in multiples of 10. Count in multiples of 10 aloud</p>  <p>• Show jumps of 10 on a number line</p>
<p>Counting in groups of 5</p>	<p>Use real life objects and contexts to count in groups of 5</p> 	<p>Use and draw representations for counting in multiples of 5. Count in 5s aloud.</p> 

Objective & Strategy	Concrete	Pictorial
<p>Understand and use arrays</p>	<p>Use objects laid out in arrays to find the answers to 2 lots of 5, 3 lots of 2 etc.</p> 	<p>Make and draw representations of arrays to show understanding</p> 
<p>Equal/non equal groups</p>	<p>Use real life objects and contexts to examine equal and non-equal groups.</p> <div data-bbox="646 858 1430 1345">  <p>Which shows equal groups?</p> </div> <div data-bbox="637 1461 1003 1776">  <p>There are 3 equal groups. There are 5 in each group.</p> </div>	<p>Children make/match representations of real life problems to show equal groups and find the total.</p>  <p>There are 4 equal groups. There are 2 in each group. There are 8 altogether.</p>








Objective & Strategy	Concrete	Pictorial	Abstract
Double a 2-digit number	<p>Model doubling using dienes and PV counters</p>  <p><math>40 + 12 = 52</math></p>	<p>Draw pictures and representations to show how to double numbers</p>	<p>Partition a number and then double each part before recombining it back together</p>  <p><math>20 + 12 = 32</math></p>
Understand equal and non-equal groups	<p>These are non-equal groups</p>  <p>These are equal groups</p>   <p>There are 5 equal groups. Each group has 3 cakes.</p>	<p>Make representations and drawings of equal groups</p>   <p>I have 4 groups of 3.</p>	






Objective & Strategy	Concrete	Pictorial	Abstract
<p>Use repeated addition for multiplications</p>	<p>Use objects and real life contexts.</p>  $2 + 2 + 2 + 2 + 2 = 10$ <p>There are 5 groups of 2. There are 10 socks altogether.</p>  $3 + 3 + 3$ <p>There are 3 groups of 3. There are 9 altogether.</p>	<p>Make and draw representations to show repeated addition</p> <p>There are 3 sweets in one bag. How many sweets are in 5 bags altogether?</p>  $3 + 3 + 3 + 3 + 3 = 15$ <p>Use bar models for representations of repeated additions.</p> 	<p>Create number sentences using repeated addition to match representations.</p>  $3 + 3 + 3 + 3 = 12$
<p>Relate repeated addition to multiplication using the x sign.</p>	<p>Write multiplication sentences to match repeated addition.</p>  $2 + 2 + 2 + 2$ $4 \times 2$	<p>Children make and draw representations and record both an addition sentence and a multiplication sentence.</p>  $1 + 1 + 1 + 1 + 1 + 1 = 6$ $6 \times 1 + 6$  $\square \times \square = 8$	<p>Write multiplication sentences to match repeated addition, without the support of representations.</p> $2 + 2 + 2 + 2 + 2 = 10$ $5 \times 2 = 10$









# Y2

# MULTIPLICATION X






Objective & Strategy	Concrete	Pictorial	Abstract																				
<p>Understand the 2, 5 and 10 times table</p>	<p>Use objects and real life contexts for multiples of 2, 5 and 10</p>  <p><math>3 \times 2 = 6</math> <math>6 = 3 \times 2</math></p>  <p><math>3 \times 10 = 30</math></p> 	<p>Make and draw representations for 2, 5 and 10 times tables</p>  <p><math>12 = 6 \times 2</math></p>  <p><math>4 \times 10 = 40</math></p> <p>Number lines, bead strings, counting sticks and bar models should be used to show representation of counting in multiples.</p>  <p><math>5 \times 2 = 10</math></p> 	<p>Understand the terms factor and product</p> <table border="1" data-bbox="1816 463 2393 571"> <tr> <td>3</td> <td>×</td> <td>2</td> <td>=</td> <td>6</td> </tr> <tr> <td>factor</td> <td>×</td> <td>factor</td> <td>=</td> <td>product</td> </tr> </table> <table border="1" data-bbox="1816 646 2393 754"> <tr> <td>6</td> <td>=</td> <td>3</td> <td>×</td> <td>2</td> </tr> <tr> <td>product</td> <td>=</td> <td>factor</td> <td>×</td> <td>factor</td> </tr> </table> <p>Count in multiples of a number aloud.</p>	3	×	2	=	6	factor	×	factor	=	product	6	=	3	×	2	product	=	factor	×	factor
3	×	2	=	6																			
factor	×	factor	=	product																			
6	=	3	×	2																			
product	=	factor	×	factor																			

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Multiplication is commutative</p>	<p>Create arrays using counters and cubes and Numicon.</p>  <p>Pupils should understand that an array can represent different equations and that, as multiplication is commutative, the order of the multiplication does not affect the answer.</p> 	<p>Use representations of arrays to show different calculations and explore commutativity.</p>  <p> <math>5 \times 2 = 10</math>      <math>5 \times 2 = 10</math>                      5 groups of 2    2 groups of 5                      2, five times    5, two times                 </p> 	<p> <math>12 = 3 \times 4</math>  <math>12 = 4 \times 3</math> </p> <hr/> <p>Use an array to write multiplication sentences and reinforce repeated addition.</p>  <p> <math>5 + 5 + 5 = 15</math>  <math>3 + 3 + 3 + 3 + 3 = 15</math>  <math>5 \times 3 = 15</math>  <math>3 \times 5 = 15</math> </p>

Objective & Strategy	Concrete	Pictorial	Abstract
<p><i>Understand the 3 times table</i></p>	<p>Count in three using objects and representations of multiples of 3.</p> 		<p>There are 12 wheels.</p> $4 \times 3 = 12$ $3 \times 4 = 12$
<p><i>Understand the 6 times table</i></p>	<p>We can double our 3 times table to find our 6 times table.</p> 		$12 \times 3 = 36$ $6 \times 6 = 36$
<p><i>Understand the 9 times table</i></p>	<p>Count in nines using objects and representations of multiples of 9. Make links 9 being three groups of three.</p> 		<p>There are 36 apples.</p> $4 \times 9 = 36$ $9 \times 4 = 36$

# Y3





# MULTIPLICATION X

Objective & Strategy	Concrete	Pictorial	Abstract
<p><i>Understand the 4 times table</i></p>	<p>We can double our 2 times table to get the 4 times table</p>  <p>Pupils revise 2 times table from year 2 and make link that this can be doubled to obtain 4 times table.</p> <p>How many wheels? Count in groups of 4.</p> 		<p><math>12 \times 2 = 24</math></p> <p><math>6 \times 2 = 24</math></p> <p>There are 20 wheels.</p> <p><math>5 \times 4 = 20</math></p> <p><math>4 \times 5 = 20</math></p>
<p><i>Understand the 8 times table</i></p>	<p>We can double our 4 times table to get the 8 times table</p> 		<p><math>6 \times 4 = 24</math></p> <p><math>3 \times 8 = 24</math></p>

Divisibility rules in 'families' – 2, 4 and 8	
2	A number is divisible by 2 if the ones digit is even.
4	If halving a number gives an even value, then the number is divisible by 4. <i>and</i> For numbers with more than two digits: if the final two digits are divisible by 4 then the number is divisible by 4.
8	If halving a number twice gives an even value, the number is divisible by 8.



# Y3









# MULTIPLICATION X

Objective & Strategy	Concrete	Pictorial	Abstract								
<p>Multiplying 2-digit by 1 digit using partitioning (distributive law)</p>	<p>Show the links with arrays to illustrate the PV partitioning</p>  <p>4 rows of 10 4 rows of 3</p> <p>Move onto base ten to move towards a more compact method.</p>  <p>4 rows of 13</p> <p>Move on to place value counters to show how we are finding groups of a number. We are multiplying by 4 so we need 4 rows</p>	<p>Children can represent their work with place value counters in a way that they understand.</p> <p>They can draw the counters using colours to show different amounts or just use the circles in the different columns to show their thinking as shown below.</p> 	$4 \times 10 = 40$ $4 \times 3 = 12$ $40 + 12 = 52$								
<p>2 digit x 1 digit using PV counters (no regrouping)</p>	<p>23 x 3</p> <table border="1" data-bbox="605 1282 1081 1670"> <thead> <tr> <th>tens</th> <th>ones</th> </tr> </thead> <tbody> <tr> <td>10 10</td> <td>1 1 1</td> </tr> <tr> <td>10 10</td> <td>1 1 1</td> </tr> <tr> <td>10 10</td> <td>1 1 1</td> </tr> </tbody> </table> <p>Chn can see array in the ones and the tens. There is a visual link to repeated addition.</p>	tens	ones	10 10	1 1 1	10 10	1 1 1	10 10	1 1 1	<p>Children practice, drawing their representations.</p> 	$\begin{array}{r} 23 \\ \times 3 \\ \hline 69 \end{array}$
tens	ones										
10 10	1 1 1										
10 10	1 1 1										
10 10	1 1 1										




# Y4

# MULTIPLICATION X

Objective & Strategy	Concrete	Pictorial	Abstract
<i>Understand the 7 times table</i>	<p>Children use representations which show groups of 7 including real life contexts.</p> 	<p>Linear models show jumps of 7.</p> 	<p>There are 14 players.</p> $2 \times 7 = 14$ $7 \times 2 = 14$

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Understanding the commutative law.</p>	<p>A</p>  <ul style="list-style-type: none"> <li>• 'Three groups of five are equal to fifteen.'</li> <li>• 'Five, three times is equal to fifteen.'</li> </ul> <p>B</p>  <ul style="list-style-type: none"> <li>• 'Five groups of three are equal to fifteen.'</li> </ul> <p>"Three groups of five is equal to five groups of three."</p>	 $3 \times 5 = 15$ $5 \times 3 = 15$  $5 \times 3 = 3 \times 5 = 15$ $15 \div 3 = 5$ $15 \div 5 = 3$	$3 \times 5 = 15$ $5 \times 3 = 15$ $5 \times 3 = 3 \times 5 = 15$ $15 \div 3 = 5$ $15 \div 5 = 3$
<p>Understanding the distributive law</p>	 	 	$4 \times 5 = 3 \times 5 + 5 = 20$ $4 \times 5 = 5 \times 5 - 5 = 20$



Objective & Strategy	Concrete	Pictorial	Abstract
<p>Multiply 3 digit numbers by 1 digit. (no exchange)</p>	<p>Use place value counters to show how we are finding groups of a number. We are multiplying by 3 so we need 3 rows</p> <p><math>123 \times 3 = 369</math></p>  <p>300 + 60 + 9</p> <p>Add up each column, starting with the ones.</p>	<p>Children can represent their work with place value counters by drawing place value counters or Dienes.</p>	$\begin{array}{r} 231 \\ \times 3 \\ \hline 693 \end{array}$ <p>3 x 1 ones is three ones</p> <p>3 x 3 tens is nine tens</p> <p>3 x 2 hundreds is six hundreds</p>
<p>Multiply 3 digit numbers by 1 digit. (with exchange)</p>	<p><math>224 \times 3</math></p>  <p>Regroup ten ones to make a new ten.</p> <p>600 + 70 + 2 + 672</p>	<p><math>261 \times 2</math></p>  <p>500 + 20 + 2 + 522</p>	$\begin{array}{r} 241 \\ \times 4 \\ \hline 964 \\ 1 \end{array}$ <p>4 times 1 ones is 4 ones</p> <p>4 times 4 tens is 16 tens. I put 6 tens down and carry ten tens which is now a hundred.</p> <p>4 times 2 hundreds is 8 hundreds. I add the hundred I have carried to make 9 hundreds.</p>

# Y5

# MULTIPLICATION X

Objective & Strategy	Concrete	Pictorial	Abstract																																																			
<p>Multiply 3 and 4 digits x 1 digit.</p>	<p>Children may continue to be supported by place value counters at the stage of multiplication. This initially done where there is no regrouping.</p> <p>3024 x 3</p> <table border="1" data-bbox="611 603 1176 797"> <thead> <tr> <th>thousands</th> <th>hundreds</th> <th>tens</th> <th>ones</th> </tr> </thead> <tbody> <tr> <td>3000</td> <td></td> <td>20</td> <td>4</td> </tr> </tbody> </table> <p>900 + 0 + 60 +</p>	thousands	hundreds	tens	ones	3000		20	4	<p>Children may continue to draw their understanding using place value grids.</p>	$\begin{array}{r} 3024 \\ \times \quad 3 \\ \hline 9072 \end{array}$																																											
thousands	hundreds	tens	ones																																																			
3000		20	4																																																			
<p>Multiply up to 4 digits by 2 digits</p>	<p>Manipulatives may still be used with the corresponding long multiplication modelled alongside.</p> <p>Begi with teen number x teen number.</p> <p>Progress to any 2 –4 digit number x 2 digit.</p>	<table border="1" data-bbox="1254 927 1629 1175"> <tr> <td></td> <td>10</td> <td>8</td> </tr> <tr> <td>10</td> <td>100</td> <td>80</td> </tr> <tr> <td>3</td> <td>30</td> <td>24</td> </tr> </table>		10	8	10	100	80	3	30	24	<table border="1" data-bbox="1845 905 2119 1207"> <tr> <td></td> <td>1</td> <td>8</td> </tr> <tr> <td>x</td> <td>1</td> <td>3</td> </tr> <tr> <td></td> <td>5</td> <td>4</td> </tr> <tr> <td></td> <td>2</td> <td></td> </tr> <tr> <td>1</td> <td>8</td> <td>0</td> </tr> <tr> <td>2</td> <td>3</td> <td>4</td> </tr> </table> <p>18 x 3 on the first row</p> <p>(8 x 3 =24, carrying the 2 for 20, then 1 x 3)</p> <p>18 x 10 on the 2nd row. Show multiplying by 10 by putting zero in units first</p> <table border="1" data-bbox="1903 1412 2134 1757"> <thead> <tr> <th></th> <th>100s</th> <th>10s</th> <th>1s</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>3</td> <td>1</td> </tr> <tr> <td>x</td> <td></td> <td>2</td> <td>4</td> </tr> <tr> <td></td> <td>1</td> <td>2</td> <td>4</td> </tr> <tr> <td></td> <td>6</td> <td>2</td> <td>0</td> </tr> <tr> <td></td> <td>7</td> <td>4</td> <td>4</td> </tr> </tbody> </table> <p>31 x 4</p> <p>31 x 20</p>		1	8	x	1	3		5	4		2		1	8	0	2	3	4		100s	10s	1s			3	1	x		2	4		1	2	4		6	2	0		7	4	4
	10	8																																																				
10	100	80																																																				
3	30	24																																																				
	1	8																																																				
x	1	3																																																				
	5	4																																																				
	2																																																					
1	8	0																																																				
2	3	4																																																				
	100s	10s	1s																																																			
		3	1																																																			
x		2	4																																																			
	1	2	4																																																			
	6	2	0																																																			
	7	4	4																																																			

# Y6

# MULTIPLICATION X

Objective & Strategy	Concrete	Pictorial	Abstract
Multiply decimals up to 2 decimal places by a single digit			$\begin{array}{r} 2.38 \\ \times \quad 3 \\ \hline 714 \\ \color{red}{12} \end{array}$ <p>First we lay out the calculation</p> <p>Next, we write the decimal point in the answer (product).</p> <p>Finally, we carry out the multiplication.</p> <p><i>3 x 8 hundredths is 24 hundredths</i></p> <p><i>3 x 3 tenths is 9 tenths, add 2 tenths we carried is 11 tenths</i></p> <p><i>3 x 3 ones is 6 ones, add 1 one we carried is 7 ones</i></p>
Multiply up to 4 digit numbers by 2 digits.			$\begin{array}{r} \phantom{\times} \phantom{00} \cancel{0} \\ \phantom{\times} \phantom{00} 312 \\ \times \phantom{00} 28 \\ \hline 2496 \\ 6240 \\ \hline 8736 \\ \phantom{00} 1 \end{array}$

# Division



St. Gerard's Catholic Primary  
and Nursery School

Written methods for Division



It is important that children's mental methods of calculation are practised on a regular basis and secured alongside their learning and use of written methods of division. The aim is that children use mental methods when appropriate, but for calculations that they cannot do in their heads they use a written method accurately and with confidence. Children are taught and acquire secure mental methods of calculation and one written method of calculation for division which they know they can rely on when mental methods are not appropriate. This policy shows the possible stages of each written method for division, each stage building towards a more refined method.

There are some key basic skills that children need to help with subtraction, which include:






- counting
- estimating
- understanding division as repeated subtraction
- partitioning two-digit and three-digit numbers into multiples of 100, 10 and 1 in different ways (432 into  $400 + 30 + 2$  and also into  $300 + 120 + 12$ )
- recalling multiplication and division facts to  $12 \times 12$
- recognising multiples of one-digit numbers and dividing multiples of 10 or 100 by a single-digit number using their knowledge of division facts and place value
- knowing how to find a remainder working mentally, for example, find the remainder when 48 is divided by 5
- understanding and using division and multiplication as inverse operations









**Using and applying is a key theme and one of the aims of National Curriculum and before children move onto the next stage in written calculation it is important that their skills are broadened through their use and application in a range of contexts, these include:**

- using inverse
- missing box questions
- using units of measure including money and time
- word problems
- open ended investigations

Objective & Strategy	Concrete	Pictorial
<p>Find half of numbers to 20.</p>	<p>Real life and practical contexts are used to find half of numbers up to 20.</p> 	<p>Children use manipulatives to represent real life problems.</p>  <p>half of 6 = 3 double 3 = 6</p>




# DIVISION ÷

Objective & Strategy	Concrete	Pictorial
<p>Understand division as sharing into equal groups</p> <p><i>Use Gordon ITPs for modelling</i></p>	<p>Children solve real life problems using real objects.</p>  <p>There are eight sweets. Daisy and Will share these equally. How many do they get each?</p> <p>I have 10 cubes, can you share them equally in 2 groups?</p>  <p>There are 2 equal groups. Each group has 5.</p> 	<p>Children use pictures or shapes to share quantities.</p>  <p>8 shared between 2 is 4</p>  <p>10 shared between 2 is 5</p>

Objective & Strategy	Concrete	Pictorial	Abstract
Division as sharing (partitive)	<p>There are 20 conkers shared equally between 5 children.</p>  <p>Each child gets 4 conkers.</p>	<p>Children use pictures or shapes to share quantities. They may use bar modelling to show and support understanding.</p>  <p>Number lines are used to show skip counting (counting forwards)</p>  <p>and repeated subtraction (counting backwards).</p> 	$20 \div 5 = 4$
Division as grouping (quotitive)	<p>Use cubes, counters or real objects or to aid understanding.</p> <p>There are 15 biscuits, there are 5 in each bag. How many bags?</p>  	 <p><math>5 + 5 + 5 = 15</math> <math>15 \div 5 = 3</math></p>  <p><math>15 - 5 - 5 - 5 = 0</math> <math>15 \div 5 = 3</math></p>	<p>15 divided into groups of 5 is 3</p> $15 \div 5 = 3$





# Y2

# DIVISION

Objective & Strategy	Concrete	Pictorial	Abstract
Understanding the Inverse	 	 <input type="text"/> × <input type="text"/> = <input type="text"/> <input type="text"/> × <input type="text"/> = <input type="text"/> <input type="text"/> ÷ <input type="text"/> = <input type="text"/> <input type="text"/> ÷ <input type="text"/> = <input type="text"/>	$3 \times 4 = 12$ $12 \div 4 = 3$  $4 \times 3 = 12$ $12 \div 3 = 4$  $2 \times 4 = 8$ $4 \times 2 = 8$ $8 \div 2 = 4$ $8 \div 4 = 2$ $8 = 2 \times 4$ $8 = 4 \times 2$ $2 = 8 \div 4$ $4 = 8 \div 2$ Show all 8 related fact family sentences.



# DIVISION ÷

Objective & Strategy	Concrete	Pictorial	Abstract										
Division with remainders. (partitive)	<p>I divide 14 cakes between 3 plates. How are the cakes shared?</p> 	<p>Draw dots and group them to divide an amount and clearly show a remainder.</p> 	<p>Complete written divisions and show the remainder using r.</p> $14 \div 3 = 4 \text{ r } 2$ <p> <small>dividend</small>    <small>divisor</small>    <small>quotient</small>    <small>remainder</small> </p>										
Division with remainders. (quotitive)	<p>13 eggs are put into boxes. Each box holds 3 eggs. How are the eggs boxed?</p> 	<p>Children may draw representations to show their understanding.</p>  <p>Use bar models to show division with remainders.</p> <table border="1" data-bbox="1130 1336 1828 1440"> <tr> <td colspan="5" style="text-align: center;">13</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">3</td> <td style="text-align: center;">3</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> </tr> </table>	13					3	3	3	3	1	$13 \div 3 = 4 \text{ r } 1$
13													
3	3	3	3	1									

### Divisibility rules in 'families' – 3, 6 and 9

<b>3</b>	For a number to be divisible by 3, the sum of the digits of the number must be divisible by 3.
<b>6</b>	For a number to be divisible by 6, the number must be divisible by <i>both 2 and 3</i> .
<b>9</b>	For a number to be divisible by 9, the sum of the digits of the number must be divisible by 9.





### Divisibility rules in 'families' – 5 and 10

<b>5</b>	A number is divisible by 5 if the ones digit is 5 or 0.
<b>10</b>	A number is divisible by 10 if the ones digit is 0.






**Y3**

**DIVISION**  
÷

# DIVISION

Objective & Strategy	Concrete	Pictorial	Abstract
Interpreting division with remainders.	<p>Bracelets are made using 4 beads. There are 23 beads. How many bracelets can be made? How many beads left over?</p> 	<p>Bar model representations may be used.</p> 	$23 \div 4 = 5 \text{ r } 3$
Interpreting division with remainders.	<p>4 scouts can fit in each tent. How many tents needed for 30 scouts?</p> 		$30 \div 4 = 7 \text{ r } 2$ <p>8 tents are needed.</p> <p>Discuss with pupils the need to round up in this context.</p>

# DIVISION ÷

Objective & Strategy	Concrete	Pictorial	Abstract
Divide 2 and 3 digit numbers by 1 digit.  Short Division	<p><math>96 \div 3</math></p> <p>Use place value counters to make groups of the divisor, starting with the largest value digit.</p>  <p>There are 3 groups of 3 tens. There are 2 groups of 3 ones.</p> <p><math>42 \div 3</math></p>  <p>There is 1 group of 3 tens. There is a ten left over. We exchange this for 10 ones. 12 ones divided by 3 is 4</p> <p><math>432 \div 4</math></p>  <p>There is 1 group of 4 hundreds. There are no groups of 4 tens and three tens left over. There are 8 groups of 4 ones.</p>	<p>Students use drawn diagrams with dots or circles to show their understanding.</p>	<p>Begin with divisions that divide equally with no remainder.</p>  <p>Move onto divisions with a remainder. Return to concrete if necessary.</p> 

# Y4

# DIVISION ÷

Divisibility rules in numerical order	
2	A number is divisible by 2 if the ones digit is even.
3	For a number to be divisible by 3, the sum of the digits of the number must be divisible by 3.
4	If halving a number gives an even value, then the number is divisible by 4. <i>and</i> For numbers with more than two digits: if the final two digits are divisible by 4 then the number is divisible by 4.
5	A number is divisible by 5 if the ones digit is 5 or 0.
6	For a number to be divisible by 6, the number must be divisible by <i>both 2 and 3</i> .
8	If halving a number twice gives an even value, the number is divisible by 8.
9	For a number to be divisible by 9, the sum of the digits of the number must be divisible by 9.
10	A number is divisible by 10 if the ones digit is 0.

# Y5

# DIVISION ÷

Objective & Strategy	Concrete	Pictorial	Abstract
Divide decimals by a single digit, using $\times$ and $\div$ by 10 or 100			<p>Pupils use understanding of <math>\times</math> and <math>\div</math> 10 to make connections.</p> $\begin{array}{r} 6.3 \div 9 = 0.7 \\ \times 10 \downarrow \\ 63 \div 9 = 7 \end{array} \quad \begin{array}{l} \div 10 \end{array}$
Short division of decimals			<p>Children build on work from year 4, now with decimals</p> $\begin{array}{r} 0.41 \\ 6 \overline{) 2.46} \end{array}$

## Division of 2 digits by 2 digits

Using  $\times$  &  $\div$  by 10, 100 etc and relating this to a short division method.

$$\begin{array}{r} 60 \div 30 = \boxed{2} \\ \div 10 \downarrow \quad \downarrow 10 \div \\ 6 \div 3 = 2 \end{array}$$

$$\begin{array}{r} 0 \quad 2 \\ 30 \overline{) 6 \quad 60} \end{array}$$

# Y5

# DIVISION ÷

## Long Division—2 digits divided by 2 digits

H	T	O
30	8	5

30 does not go into 8.  
So, combine the 8  
tens with the 5 ones.

H	T	O
30	8	5
	2	
	6	0

30 goes into 85 twice,  
which is 60.

H	T	O
30	8	5
	2	
	6	0
	2	5

Subtract the 60 from  
the 85 and this leaves  
25.

H	T	O
30	8	5
	2	r 25
	6	0
	2	5

85 divided by 30 is 2  
with a remainder of  
25

# Y6

DIVISION ÷



## Long Division—3 digits divided by 2 digits

# Y6

$$\begin{array}{r} \text{H} \quad \text{T} \quad \text{O} \\ 31 \overline{) 4 \quad 3 \quad 4} \end{array}$$



$$\begin{array}{r} \text{H} \quad \text{T} \quad \text{O} \\ 0 \\ 31 \overline{) 4 \quad 3 \quad 4} \end{array}$$

31 does not go into 4 (hundreds).



$$\begin{array}{r} \text{H} \quad \text{T} \quad \text{O} \\ 0 \quad 1 \\ 31 \overline{) 4 \quad 3 \quad 4} \\ \underline{3 \quad 1} \end{array}$$

We combine the 4 hundreds with the tens to give 43 tens. 31 goes into 43 once which is 31, we record this underneath.



$$\begin{array}{r} \text{H} \quad \text{T} \quad \text{O} \\ 0 \quad 1 \\ 31 \overline{) 4 \quad 3 \quad 4} \\ \underline{3 \quad 1} \\ 1 \quad 2 \end{array}$$

Subtract to find the remainder. 31 from 43 leaves 12.

$$\begin{array}{r} \text{H} \quad \text{T} \quad \text{O} \\ 0 \quad 1 \\ 31 \overline{) 4 \quad 3 \quad 4} \\ \underline{3 \quad 1} \\ 1 \quad 2 \quad 4 \end{array}$$

We combine 12 with the next digit to give 124.



$$\begin{array}{r} \text{H} \quad \text{T} \quad \text{O} \\ 0 \quad 1 \\ 31 \overline{) 4 \quad 3 \quad 4} \\ \underline{3 \quad 1} \\ 1 \quad 2 \quad 4 \\ \underline{1 \quad 2 \quad 4} \end{array}$$

31 goes into 124 four times, which is 124.



$$\begin{array}{r} \text{H} \quad \text{T} \quad \text{O} \\ 0 \quad 1 \quad 4 \\ 31 \overline{) 4 \quad 3 \quad 4} \\ \underline{3 \quad 1} \\ 1 \quad 2 \quad 4 \\ \underline{1 \quad 2 \quad 4} \\ 0 \end{array}$$

We subtract to show there is no remainder

# DIVISION

## Long Division—progressing to 4 or more digits

# Y6

$$\begin{array}{r} \text{TH} \quad \text{H} \quad \text{T} \quad \text{O} \\ 23 \overline{) 4945} \end{array}$$



$$\begin{array}{r} \text{TH} \quad \text{H} \quad \text{T} \quad \text{O} \\ 23 \overline{) 4945} \\ \underline{46} \phantom{0} \\ 3 \phantom{0} \end{array}$$



$$\begin{array}{r} \text{TH} \quad \text{H} \quad \text{T} \quad \text{O} \\ 23 \overline{) 4945} \\ \underline{46} \phantom{0} \\ 34 \\ \underline{23} \\ 11 \end{array}$$

23 goes into 49 twice which is 46. We subtract this from 49 to give a remainder of 3.

We combine the 3 left over with the next digit to give 34. 23 goes into 34 once with 11 remaining.



$$\begin{array}{r} \text{TH} \quad \text{H} \quad \text{T} \quad \text{O} \\ 23 \overline{) 4945} \\ \underline{46} \phantom{0} \\ 34 \\ \underline{23} \\ 115 \\ \underline{115} \\ 0 \end{array}$$

We combine the 11 with the next digit to make 115. 23 goes into 115 5 times with no remainder.

# DIVISION ÷

## Long Division—procedural summary (remainder in any of the digits)

# Y6

# DIVISION ÷

<p>1. Divide.</p>	<p>2. Multiply &amp; subtract.</p>	<p>3. Drop down the next digit.</p>
$\begin{array}{r} \text{h t o} \\ 1 \\ 2 \overline{)278} \end{array}$ <p>Two goes into 2 one time, or 2 hundreds ÷ 2 = 1 hundred.</p>	$\begin{array}{r} \text{h t o} \\ 1 \\ 2 \overline{)278} \\ -2 \\ \hline 0 \end{array}$ <p>Multiply <math>1 \times 2 = 2</math>, write that 2 under the two, and subtract to find the remainder of zero.</p>	$\begin{array}{r} \text{h t o} \\ 18 \\ 2 \overline{)278} \\ -2 \downarrow \\ \hline 07 \end{array}$ <p>Next, drop down the 7 of the tens next to the zero.</p>
<p>Divide.</p>	<p>Multiply &amp; subtract.</p>	<p>Drop down the next digit.</p>
$\begin{array}{r} \text{h t o} \\ 13 \\ 2 \overline{)278} \\ -2 \\ \hline 07 \end{array}$ <p>Divide 2 into 7. Place 3 into the quotient.</p>	$\begin{array}{r} \text{h t o} \\ 13 \\ 2 \overline{)278} \\ -2 \\ \hline 07 \\ -6 \\ \hline 1 \end{array}$ <p>Multiply <math>3 \times 2 = 6</math>, write that 6 under the 7, and subtract to find the remainder of 1 ten.</p>	$\begin{array}{r} \text{h t o} \\ 13 \\ 2 \overline{)278} \\ -2 \\ \hline 07 \\ -6 \\ \hline 18 \end{array}$ <p>Next, drop down the 8 of the ones next to the 1 leftover ten.</p>
<p>1. Divide.</p>	<p>2. Multiply &amp; subtract.</p>	<p>3. Drop down the next digit.</p>
$\begin{array}{r} \text{h t o} \\ 139 \\ 2 \overline{)278} \\ -2 \\ \hline 07 \\ -6 \\ \hline 18 \end{array}$ <p>Divide 2 into 18. Place 9 into the quotient.</p>	$\begin{array}{r} \text{h t o} \\ 139 \\ 2 \overline{)278} \\ -2 \\ \hline 07 \\ -6 \\ \hline 18 \\ -18 \\ \hline 0 \end{array}$ <p>Multiply <math>9 \times 2 = 18</math>, write that 18 under the 18, and subtract to find the remainder of zero.</p>	$\begin{array}{r} \text{h t o} \\ 139 \\ 2 \overline{)278} \\ -2 \\ \hline 07 \\ -6 \\ \hline 18 \\ -18 \\ \hline 0 \end{array}$ <p>There are no more digits to drop down. The quotient is 139.</p>